CLAIMS

5

10

1. A vehicle outside-image display apparatus, comprising:

a vehicle outside-image capturing unit that captures a vehicle's outside image by a camera;

an image receiving unit that receives vehicle outside-image information from outside;

an image combining unit that combines the vehicle outside-image information received by the image receiving unit with the image captured by the vehicle outside-image capturing unit; and

an image display device that displays renewed vehicle outside-image information produced by the image combining unit.

- The vehicle outside-image display apparatus according to claim 1,
 wherein the image receiving unit receives the vehicle outside-image information from a vehicle ahead of a vehicle equipped with the vehicle outside-image display apparatus.
- 3. The vehicle outside-image display apparatus according to claim 1, wherein the image combining unit combines a portion of the vehicle outside-image information received by the image receiving unit with the image captured by the vehicle outside-image capturing unit.
- 4. The vehicle outside-image display apparatus according to claim 1,25 further comprising an image transmitting unit that transmits the renewed vehicle

outside-image information produced by the image combining unit to outside.

- 5. The vehicle outside-image display apparatus according to claim 4, wherein the image transmitting unit transmits the renewed vehicle outside-image information produced by the image combining unit to a rearward vehicle relative to a vehicle equipped with the vehicle outside-image display apparatus.
- 6. The vehicle outside-image display apparatus according to claim 1, 10 further comprising:

a following distance measuring unit that measures a following distance between a vehicle equipped with the vehicle outside-image display apparatus and a vehicle ahead thereof; and

a field-of-vision condition determining unit that determines, with the following distance measuring unit, whether or not a forward field of vision is blocked.

wherein vehicle outside-image information is received from the image receiving unit when it is determined that the forward field of vision is blocked by the vehicle ahead.

20

25

15

5

- 7. The vehicle outside-image display apparatus according to claim 1, further comprising:
- a three-dimensional measuring unit that performs, by a three-dimensional measuring instrument, a three-dimensional measurement for an environment in a picture range captured by the vehicle outside-image

capturing unit;

a measurement value receiving unit that receives a three-dimensional measurement value from outside; and

a viewpoint converting unit that converts the vehicle outside-image information to have a viewpoint from the camera based on the three-dimensional measurement value received by the measurement value receiving unit and supplies the converted information to the image combining unit.

10 8. The vehicle outside-image display apparatus according to claim 7, further comprising a measurement value combining unit that combines the three-dimensional measurement value received by the measurement value receiving unit with the three-dimensional measurement value acquired by the three-dimensional measuring unit.

15

5

9. The vehicle outside-image display apparatus according to claim 8, further comprising a measurement value transmitting unit that transmits a renewed three-dimensional measurement value produced by the measurement value combining unit to outside.

20

25

10. The vehicle outside-image display apparatus according to claim 9, wherein the measurement value transmitting unit transmits the renewed three-dimensional measurement value produced by the measurement value combining unit to a rearward vehicle relative to the vehicle equipped with the vehicle outside-image display apparatus.

11. The vehicle outside-image display apparatus according to claim 1, wherein the image receiving unit receives vehicle outside-image information from an obstructive object that obstructs a field of view ahead of a vehicle equipped with the vehicle outside-image display apparatus.